
	Specifications	Revision:	V3.7
	MOPA pulsed fiber laser	Date:	202402
	Model: YFPN-300-GMC-S	Page:	1/5

1. Optical characteristics

No.	Characteristics	Parameter value	Unit
1	Central wavelength	1060-1080	nm
2	Spectral width @3dB	<20	nm
3	Maximum pulse energy	1.5	mJ
4	Output Power	300	W
5	Power Turning Range	0-100	%
6	Frequency Turning Range	1-3000	kHz
7	Laser switching ON/OFF time	<20	μs
8	Pulse Width	20-500	ns
9	Output power instability	<5	%
10	Beam quality M ²	<1.8	/
11	Polarization direction	Random	/
12	Resist high reaction	Yes	/
13	Indicator red light	0.3-2	mW
14	Beam diameter QCS (4σ)	5-7	mm
15	Delivery cable length	5	m



	Specifications	Revision:	V3.7
	MOPA pulsed fiber laser	Date:	202402
	Model: YFPN-300-GMC-S	Page:	2/5


2. Electrical characteristics

No.	Characteristics	Parameter value	Unit
16	Power supply voltage	48	VDC
17	Working current	<25	A
18	Power consumption	<1200	W
19	Recommended power supply	≥ 1500	W

3. Environmental requirements

No.	Characteristics	Parameter value	Unit
20	Operating temperature	0 - 35	°C
21	Storage temperature	-10 - 60	°C
22	Cooling Method	Air cooling	/



	Specifications	Revision:	V3.7
	MOPA pulsed fiber laser	Date:	202402
	Model: YFPN-300-GMC-S	Page:	3/5

4. Structural characteristics

No.	Characteristics	Parameter value	Unit
23	Laser dimension	443*315*121(with handles)	mm
24	QCS dimension	Φ 17*153	mm
25	Net weight	<13	kg

5. The pulse width corresponds to the power reduction frequency point and the maximum single pulse energy

No.	Pulse width (ns)	Power reduction frequency (kHz)	Upper frequency limit (kHz)	Max single pulse energy (mJ)
1	1(CW)	/	/	/
2	20	2700	3000	0.11
3	30	2200	3000	0.14
4	40	1750	2000	0.17
5	50	1200	2000	0.25
6	60	1000	2000	0.30
7	70	900	2000	0.33
8	80	720	2000	0.42
9	90	700	1000	0.43






Specifications
MOPA pulsed fiber laser
Model: YFPN-300-GMC-S

Revision: V3.7
Date: 202402
Page: 4/5


10	100	650	1000	0.46
11	150	450	1000	0.67
12	200	300	1000	1.00
13	250	260	600	1.15
14	350	240	600	1.25
15	450	200	600	1.50
16	500	200	500	1.50




The definition of threshold frequency in the pulsed fiber laser



A leading supplier of advanced lasers for precision manufacturing
<https://en.gzlasertech.com/>


	Specifications	Revision:	V3.7
	MOPA pulsed fiber laser	Date:	202402
	Model: YFPN-300-GMC-S	Page:	5/5

6. Dimension



M4 or above screws are recommended

Laser dimension



QCS dimension



A leading supplier of advanced lasers for precision manufacturing
<https://en.gzlasertech.com/>